Grab-N-Go Pouch
Skill Level: Beginner



Designed & Created by Pellon®
www.pellonprojects.com

The Grab-N-Go Pouch is a simple little catch-all for all the essentials. It'll fit your phone + some money, a few credit cards, some chapstick and any other small accessories needed. There's even an external key ring to keep everything all in one place. This would be a great pouch for pool or beach trips. Make it with a laminated cotton or add our 100 Vinyl-Fuse™ to your favorite quilting cotton for extra protection.

Fabrics Needed

Exterior	One 5" x 8" and two 3" x 8" rectangles
Lining	One 5" x 8" and two 3" x 8" rectangles
Key Ring Tab	One 2½" x 3" rectangle
Zipper Tabs	scraps

Materials Needed

Pellon® FF77 Flex-Foam™	One 5" x 8" and two 3" x 8" rectangles
Pellon® SF101 Shape-Flex®	One 5" x 8", one 11/2" x 3" and two 3" x 8" rectangles
7" zipper (or longer) in coordinating color	One
Key Ring	One

Tools Needed

Sewing machine and related supplies
Rotary cutter and related supplies
Iron and ironing surface

PERMISSION IS GIVEN TO REPRODUCE FOR PERSONAL USE ONLY

Instructions

Use a 1/4" seam allowance unless otherwise noted. Follow manufacturer's instructions for application of all interfacing.

Step 1 - Assemble supplies.



Step 2 – Place Shape-Flex rectangles against wrong side of coordinating lining and key ring tab rectangles and fuse.




Step 3 – Place Flex-Foam rectangles against wrong wide of exterior fabric rectangles. Baste around all edges to secure or quilt as desired.





PERMISSION IS GIVEN TO REPRODUCE FOR PERSONAL USE ONLY

Step 4 – Trim zipper to 7". To create zipper zabs, cut a small rectangle of exterior or coordinating fabric (sample used a scrap with a width of 2½". Fold in half lengthwise and press. Open and fold raw edges in to meet center fold. Press. Re-fold on center crease. Insert zipper ends into the fold and pin.



Step 5 – Topstitch to secure and trim edges to match raw edges of zipper tape.




Step 6 – Place exterior 3" x 8" rectangle right side up. Center the zipper on top, matching raw edges so that zipper pull is on the left and facing the right side of the exterior fabric. Place the lining 3" x 8" rectangle right sides together with the exterior rectangle. Pin and sew using a zipper foot.



Step 7 – Fold exterior and lining rectangles away from the zipper and press. Topstitch along folded edge to finish and secure.



Step 8 – Repeat Steps 6 & 7 using the remaining 3" x 8" rectangles. When placing the zipper unit, be sure that the exterior rectangles are right sides together and the lining rectangles are right sides together.



PERMISSION IS GIVEN TO REPRODUCE FOR PERSONAL USE ONLY

Step 9 – Place the exterior and lining 5″ x 8″ rectangles wrong sides together and pin. Place the 5″ x 8″ unit right sides together with the zipper unit and pin. Make sure that zipper is at least halfway open. (I opened mine up all the way for easy turning later.) Square up all raw edges.



Step 10 – To create the key ring tab, fold the 2½″ x 3″ rectangle in half lengthwise and press. Open and fold the raw edges in to meet the center crease. Press. Re-fold on the center crease and pin. Top-stitch both folded edges.



Step 11 – Fold tab in half and place in between the front and back units in desired location. Make sure that folded edge is facing in and raw edges are out.

Step 12 – Sew around all four sides. Finish with a zig zag stitch, or trim with pinking shears to prevent fraying.



Step 13 – Turn pouch right side out through the open zipper and carefully push out all four corners. Press pouch for a nice clean finish.



PERMISSION IS GIVEN TO REPRODUCE FOR PERSONAL USE ONLY