# Loyalty Card Wallet
## Skill Level: Beginner

Designed By Lisa Cox
www.aspoonfulofsugardesigns.com



### Materials Needed

Assorted fabric scraps, each measuring a minimum of 4" x1"
Fabric 1: 8 ¼" x 4" (lining)
Fabric 2: 8 ¼" x 4" (pocket 1)
Fabric 3: 8 ¼" x 4" (pocket 2)
Two 8 ¼" x 4" of Décor Bond®
One button
One hair elastic

### Tools Needed

Sewing Machine
Dressmaker Chalk
Pins
Needle & Thread
Spray Starch
Iron

PERMISSION IS GIVEN TO REPRODUCE FOR PERSONAL USE ONLY ©2011 - PCP Group, LLC

**Instructions**

**Step 1:** Sew scrappy strips together until you have a piece of fabric measuring 8 1/4" x 4".

**Step 2:** Iron the two pieces of fabric that will form the pockets in half lengthwise so they measure 8 1/2" x 2".

**Step 3:** Using your iron, fuse with Décor Bond® to the wrong side of the scrappy cover and the wrong side of the lining fabric

**Step 4:** Overlock or zigzag along the bottom edge of the two pockets. Pin the top pocket to the lining piece so that the bottom of the pocket is 1" above the bottom edge of the lining. Stitch in place.

**Step 1**



**Step 4**



**Step 5:** Position the lower pocket along the bottom edge of the lining and stitch in place. Using dressmaker chalk, draw a line down the center of the lining so the pockets are divided into two halves. Stitch along the line three times to form the pocketd for the loyalty cards.

**Step 5**





PERMISSION IS GIVEN TO REPRODUCE FOR PERSONAL USE ONLY ©2011 - PCP Group, LLC

**Instructions**

**Step 6**




**Step 6:** Position the hair elastic on the right side of the line with the top edge of the lower pocket and stitch in place.

**Step 7:** Pin the wallet cover to the lining the right sides facing and stitch around the permeter using a 1/4" seam allowance. Leave a 3" opening along the bottom edge. Clip the corners and turn right side out through the opening. Use a chopstick or turning tool.

**Step 7**



**Step 8:** Press the wallet using steam and spray starch to get a nice crisp finish. Pin the opening closed. Sew around the perimeter of the wallet (enclosing the opening as you go) using 1/8 inch seam allowance.

**Step 9:** Sew a button on the front of the wallet to finish.

**Step 8**



**Step 9**





PERMISSION IS GIVEN TO REPRODUCE FOR PERSONAL USE ONLY ©2011 - PCP Group, LLC